Public Water Supply (PWS) & Inventory Information			
PWS Name:	TOWN OF BOKCHITO		
PWSID:	200704 / S10604		
PWS System Classification:	Community		
Enter Date Last Updated:	07/16/24		
Is this the Initial Inventory or an Inventory Update ?	Initial Inventory		
PWS System's Preferred Point of Contact (Name and Phone Number/Email Address)	MISTY SMITH, PUA DIRECTOR, 580-391-0039, PUADIRECTOR@BOKCHITO.ORG		

Type of Record	Describe the Records Reviewed for Your Inventory
1. Previous Materials Evaluation Example: Locations of Tier 1 lead tap sampling locations that are served by a lead service line.	UNKNOWN
2. Construction Records and Plumbing Codes Examples: Local ordinance adopting an international plumbing code. Permits for replacing lead service lines.	UNKNOWN
3. Water System Records Examples: Capital improvement plans. Standard operating procedures. Engineering standards.	UNKNOWN
4. Distribution System Inspections and Records Examples: Distribution system maps. Tap cards. Service line repair/replacement records. Inspection records. Meter installation records.	UNKNOWN
5. Other Records	UNKNOWN

Part 2: Identifying Service Line Material During Normal Operations				
 During which normal operating activities are you of water meter reading Water meter repair or replacement Service line repair or replacement 	ollecting information on service line material? Check Water main repair or replacement Backflow prevention device inspection Other	all that apply.		
If "Other", please explain:				
2. Did you develop or revise standard operating proc	edures to collect service line material information	Select "Yes" or "No"		
during normal operation? If "Yes", please describe:				
NO				
Part 2. Camba Lina Innovitation				
Part 3: Service Line Investigations				
1. Identify the service line investigation methods your system used to prepare the inventory (check all that apply). If a water system chooses an investigation method not specified by the state under 40 CFR §141.84(a)(3)(iv), state approval is required. Note that investigations are not required by the LCRR but can be used by systems to assess accuracy of historical records and gather information when service line material is unknown.				
✓ Visual Inspection at the Meter Pit	 Water Quality Sampling - Other Mechanical Excavation Vacuum Excavation Predictive Modeling Other 			
If "Other", please explain:				
2. If "Predictive Modeling", please briefly describe th	e model and inputs used:			

Part 4. Inventory Summary Table 1

When you are using the Service Line Information worksheet, the classifications in the Column "Material Classification for the Entire Service Line" (Column M) will be used to calculate the total number of service lines for each of the four material classifications below.

Service Line Material Classification	Definition	Total Number of Service Lines (REQUIRED to be reported under the LCRR)
Lead	Any portion of the service line is known to be made of lead. ²	0
Galvanized Requiring Replacement (GRR)	The service line is not made of lead, but a portion is galvanized and the system is unable to demonstrate that the galvanized line was never downstream of a lead service line.	41
Non-Lead	All portions of the service line are known NOT to be lead or GRR through an evidence-based record, method, or technique.	341
Lead Status Unknown	The service line material is not known to be lead or GRR. For the entire service line or a portion of it (in cases of split ownership), there is not enough evidence to support material classification.	0
	TOTAL	382

Notes

¹ This summary table is for reporting material for the entire service line connecting the water main to the customer's plumbing. Remember that systems must track the system-owned and customerowned portions separately in their inventory.

² A lead-lined galvanized service line is consistent with the definition of an LSL under the LCRR ("a portion of pipe that is made of lead, which connects the water main to the building inlet") (40 CFR §141.2) and must therefore be classified in the inventory as an LSL. Do NOT, however, count non-lead service lines with a lead gooseneck or pigtail as lead service lines.